Fakulti: FAKULTI KEJURUTERAAN ELEKTRIK

Nama Matapelajaran: MAKMAL TAHUN 3

Kod Matapelajaran : SEEL 3742

Semakan : 7 Tarikh Keluaran : 2024

Pindaan Terakhir : 17 Mac 2024



SEEL 3742

FAKULTI KEJURUTERAAN ELEKTRIK UNIVERSITI TEKNOLOGI MALAYSIA SKUDAI, JOHOR

ADVANCED ELECTRONIC LAB STUDENT PACK

ACTIVE FILTER DESIGN

Prepared by : Certified by : Head of Department

PM.Dr. Norlaili Mat Safri Electronics and Computer

Dr. Zaharah Johari Engineering (ECE)

Alai , Name Name

Signature : Dr. Norlaili Mat Safri Stamp : Associate Professor Stamp : PROFESOR IR. DR. RUBITA BINTI SUDIRMA Director Stamp : Department of Electronic and Computer Engineer Faculty of Electronic Engineering

Associate Professor
Faculty of Electrical Engineering
Universiti Teknologi Malaysia

Stamp

Stamp

Department of Electroic and Computer Engineering
Faculty of Electrical Engineering
Universiti Teknologi Malaysia

1310 UTM Johor Behru, Johor

Date : 17 Mac 2024 Date : 17/3/2024

81310 UTM Johor Bahru

Active Filter Design

Project Introduction:

Filters are circuits that are capable of passing signals within a band of frequencies while rejecting or blocking signals of frequencies outside of this band. A low-pass filter transmits a signal with low frequencies but stops high frequency signals, and vice versa for a high-pass filter. An active filter is designed using operational amplifiers, capacitors and resistors. Active filters are advantages over passive filters such that it eliminates the inductors, which are bulky and expensive especially at low cut-off frequencies. Some of the advantages of an active filter are flexible voltage gain, easy tuning of cut-off frequency, no loading effect, and cost effectiveness since a wide range of economical operational amplifiers are available and no inductor.

Project Objectives are:

- 1. To design an active filter for Electronics/Biomedical/Telecommunication applications based on the specification.
- 2. To obtain the magnitude and phase responses of an active filter.
- 3. To evaluate the functionality and performance of the designed active filter when noise is embedded within an input signal.

Project Tasks:

Your team has been assigned to design an active filter for Electronics/Biomedical/ Telecommunication applications with the specification given in Table 1. Based on the type of filter assigned to your team, you have three weeks to design, implement and test the required active filter that comply with the specifications. A technical report supported with the experimental results must be submitted at the end of project time. The collected data, analysis and plots of waveforms (frequency and time domain) and graphs should be well presented and discussed. The report must cover both theoretical and experimental voltage gains, cutoff frequencies, slopes of roll-off, phase angles at cut-off, and the ranges of phase angles. You also need to suggest the possible application of the speaker so that your company can streamdown potential customers.

A technical report supported with the experimental results must be submitted at the end of project time. The collected data, analysis and plots of waveforms and graphs should be well presented and discussed. The report must cover both theoretical and experimental voltage gains, cut-off frequencies, slopes of roll-off, phase angles at cut-off, and the ranges of phase angles. You also need to suggest the possible application of the speaker so that your company can stream-down potential customers.

Table 1: Project Specifications

No.	Type of speakers / bandpass	Filter parameters			
		Min. order	Min. gain	Cut-off freq	Туре
1	Subwoofers	3 nd order	20dB	200 Hz	*
2	Woofers	2 nd order	20dB	40 Hz and 1 kHz	*
3	Midranges	2 nd order	20dB	300 Hz and 5 kHz	*
4	Tweeters	2 nd order	20dB	2 kHz and 20 kHz	*
5	Super tweeters	2 nd order	20dB	20 kHz and 100 kHz	*
6	Bandpass filter	2 nd order	**	***	*

Note:

^{*:} You may choose any type of filter response (Butterworth, Chebyshev, Bessel) most suitable to design

^{**:} any voltage gain most suitable to design

^{***:} any cut-off frequencies most suitable to design

Technical Report Guideline:

- 1. The report should use an IEEE journal format. Please download report template from http://3yearlab.fke.utm.my/ or http://www.fke.utm.my/facilities/teaching-laboratories/lab
- 2. One hardcopy of the report should be submitted to the Advanced Electronics laboratory one week after the last lab's session (4th Week). Please make sure to sign the submission form available in the lab.
- 3. One softcopy of the report in pdf format should be uploaded to a link which will be provided by the course coordinator. Please name the file as labname+year_group number_type of filter.pdf. Example: aelab2023_G1_Supper Tweeters.pdf